BOARD OF ASSESSMENT APPEALS, STATE OF COLORADO

1313 Sherman Street, Room 315 Denver, Colorado 80203

Petitioner:

PENTA DENVER LLC,

v.

Respondent:

DENVER COUNTY BOARD OF EQUALIZATION.

ORDER ON WITHDRAWAL

Docket Number: 53768

The Board received Petitioner's request to withdraw the above-captioned appeal on August 12, 2010. The Board has approved Petitioner's request.

FINDINGS OF FACT AND CONCLUSIONS:

1. Subject property is described as follows:

County Schedule No.: 02222-00-022-000

Category: Valuation Property Type: Commercial Real

2. Petitioner is protesting the 2009 actual value of the subject property.

ORDER:

Petitioner's request for withdrawal is granted; therefore, the Board will take no further action on this matter.

DATED AND MAILED this 13th day of August 2010.

BOARD OF ASSESSMENT APPEALS

Karen E. Hart

I hereby certify that this is a true and correct copy of the decision of the Board of Assessment Appeals.

Cara McKeller

Debra A. Baumbach

If at any time you decide you DO NOT wish to pursue your appeal and choose to withdraw, please sign this letter and return it to the Board of Assessment Appeals.

> Licht & Company 9101 E KENYON AVE SUITE 3900 Denver, CO 80237

Date: 3-12-10

Docket No.:

Hearing Date: September 13, 2010

To: Board of Assessment Appeals 1313 Sherman Street, Room 315

Denver, CO 80203

Via Facsimile: 303.866.4485

I no longer wish to pursue this matter and request that my property tax appeal be withdrawn. I understand that, by withdrawing this appeal, I relinquish all rights to obtaining a reduction in value for the subject property for tax year(s) 2009. I understand that this withdrawal letter should not be mailed or faxed if I have reached an agreement (stipulation) with the Denver County Board Of Equalization resulting in a reduction in value.

CERTIFICATE OF SERVICE

I hereby certify that a true and correct copy of this document was mailed, faxed, or hand delivered to the Denver County Board Of Equalization.

Ethail Copy: Larry George-Denver Assessor Geneva Campos-Denver BOE